SAFETY DATA SHEET

Print date: 18.02.22
Last update: 31.01.22
No: 109-4776

In compliance with Regulation (EC) No 1907/2006

LEATHER & BURNING WOODS SKU-AA-ODEME

1. IDENTIFICATION OF THE PREPARATION AND THE COMPANY

1.1	**Product identifier / No:** **UFI:**	**LEATHER & BURNING WOODS SKU-AA-ODEME** **QQSF-70NM-G10T-93DT**
1.2	**Relevant identified uses of the mixture and uses advised against:**	Perfuming agent for finished consumer products. **Not for personal use in this form or concentration.**
1.3	**Details of the supplier of the safety data sheet:**	Balsius, LTD Jundos str. 15, Vilnius, 08402, Lithuania Phone: +37061173333 E-mail: info@soyacandles.lt
1.4	**Emergency telephone number:**	+37061173333

2. HAZARD IDENTIFICATION

2.1 Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) No 1272/2008:



GHS07 Exclamation mark

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.



GHS09 Environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

2.2 Label elements

2.2.1 Hazard pictogram(s):



2.2.2 Signal word

Warning

2.2.3 Hazard Statement(s):

Causes serious eye irritation.

May cause an allergic skin reaction.

Toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET

Print date: 18.02.22
Last update: 31.01.22
No: 109-4776

In compliance with Regulation (EC) No 1907/2006

LEATHER & BURNING WOODS SKU-AA-ODEME

2.2 Label elements

2.2.4 Precautionary statements

General:

P101 If medical advice is needed, have product container or label at hand.

P103 Read label before use.

Prevention:

P261 Avoid breathing dust / fume / gas / mist / vapours / spray.

P264 Wash hands thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves / protective clothing / eye protection / face protection.

Response in cases of accidental spillage or exposure:

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minuts. Remove contact lenses, if present and easy to do. Continue rinsing.

P321 Specific treatment

P333+P313 If skin irritation or rash occurs: Get medical advice / attention.

P337+P313 If eye irritation persists: Get medical advice / attention.

P363 Wash contaminated clothing before reuse.

P391 Collect spillage.

Storage:

Disposal:

P501 Dispose of contents / container in accordance with government regulations.

SAFETY DATA SHEET

Print date: 18.02.22
Last update: 31.01.22
No: 109-4776

In compliance with Regulation (EC) No 1907/2006

LEATHER & BURNING WOODS SKU-AA-ODEME

2.2 Label elements

Hazardous component (s) for labeling:

CAS No:	Chemical name:
56539-66-3	3-Methoxy-3-methylbutanol
65113-99-7	5-(2,2,3-Trimethyl-3-cyclopentenyl)-3-methylpentan-2-ol

EUH208: Contains an ingredient that may produce an allergic reaction:

CAS No:	Chemical name:
106-02-5	Cyclopentadecanolide
1335-46-2	3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one (main component)
4707-47-5	Methyl 2,4-dihydroxy-3,6-dimethylbenzoate
127-51-5	4-(2,6,6-Trimethyl-2-cyclohexen-1-yl)-3-methyl-3-buten-2-one
115-95-7	3,7-Dimethylocta-1,6-dien-3-yl acetate
78-70-6	3,7-Dimethyl-1,6-octadien-3-ol
97-53-0	2-Methoxy-4-(2-propenyl)-phenol
101-86-0	alpha-Hexyl cinnamaldehyde
8016-23-7	Guaiac wood oil
118-58-1	Benzyl salicylate

2.3 Other hazards No data available at this time.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical characterisation:	Multi-Component Mixture
CAS-/EINECS-No:	Not applicable

Quantity	CAS No EINECS No REACH No	Name	Comment	Classification (GHS)
25-50%	56539-66-3 260-252-4 01-2119976333-33	3-Methoxy-3-methylbutanol		 Eye Irrit. 2 H319
10-25%	106-02-5 203-354-6 01-2119987323-31	Cyclopentadecanolide		  Skin Sens. 1, Aquatic Chronic 2 H317, H411
1-5%	1335-46-2 215-635-0 01-2119471851-35	3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one (main component)		  Skin Irrit. 2, Skin Sens. 1B, Aquatic Chronic 2 H315, H317, H411
1-5%	4707-47-5 225-193-0 01-2120762759-36	Methyl 2,4-dihydroxy-3,6-dimethylbenzoate		 Skin Sens. 1B H317

SAFETY DATA SHEET

Print date: 18.02.22
Last update: 31.01.22
No: 109-4776

In compliance with Regulation (EC) No 1907/2006

LEATHER & BURNING WOODS SKU-AA-ODEME

Quantity	CAS No EINECS No REACH No	Name	Comment	Classification (GHS)
1-5%	127-51-5 204-846-3 01-2120138569-45	4-(2,6,6-Trimethyl-2-cyclohexen-1-yl)-3-methyl-3-buten-2-one		, Skin Sens. 1B, Aquatic Chronic 2 H317, H411
1-5%	111879-80-2 422-320-3 01-0000016883-62	Oxacyclohexadec-12-en-2-one	M-factor: 1	Aquatic Acute 1, Aquatic Chronic 1 H400, H410
1-5%	65113-99-7 939-525-3 01-2119975588-15	5-(2,2,3-Trimethyl-3-cyclopentenyl)-3-methylpentan-2-ol		, Eye Irrit. 2, Aquatic Chronic 2 H319, H411
1-5%	93-28-7 202-235-6	2-Methoxy-4-(2-propenyl)-phenyl acetate		Acute Tox. 4 H302
<1%	115-95-7 204-116-4 01-2119454789-19	3,7-Dimethylocta-1,6-dien-3-yl acetate		Skin Irrit. 2, Skin Sens. 1B H315, H317
<1%	28219-61-6 248-908-8 01-2119529224-45	2-Ethyl-4-(2,2,3-trimethyl-3-cyclopent-1-yl)-2-buten-1-ol		, Skin Irrit. 2, Eye Irrit. 2, Aquatic Chronic 2 H315, H319, H411
<1%	78-70-6 201-134-4 01-2119474016-42	3,7-Dimethyl-1,6-octadien-3-ol		Skin Irrit. 2, Skin Sens. 1B, Eye Irrit. 2 H315, H317, H319
<1%	5986-55-0 227-807-2 01-2120754357-48	Octahydro tetramethyl methano 1-naphthol		Aquatic Chronic 2 H411
<1%	97-53-0 202-589-1 01-2119971802-33	2-Methoxy-4-(2-propenyl)-phenol		Skin Sens. 1B, Eye Irrit. 2 H317, H319
<1%	101-86-0 202-983-3 01-2119533092-50	alpha-Hexyl cinnamaldehyde		, Skin Sens. 1B, Aquatic Acute 1, Aquatic Chronic 2 H317, H400, H411
<1%	141773-73-1 415-490-5 01-0000016242-80	1-Propanol, 2-[1-(3,3-dimethyl-cyclohexyl)ethoxy]-2-methyl-, propanoate		Aquatic Chronic 2 H411
<1%	8016-23-7 289-632-8 01-2120138621-63	Guaiac wood oil		, Skin Irrit. 2, Skin Sens. 1B, Aquatic Chronic 2 H315, H317, H411
<1%	71735-79-0 275-967-7	1,5,9-Trimethyl-13-oxabicyclo[10.1.0]trideca-4,8-diene		, Skin Irrit. 2, Aquatic Chronic 2 H315, H411
<1%	118-58-1 204-262-9	Benzyl salicylate		, - Skin Sens. 1B,

SAFETY DATA SHEET

Print date: 18.02.22
Last update: 31.01.22
No: 109-4776

In compliance with Regulation (EC) No 1907/2006

LEATHER & BURNING WOODS SKU-AA-ODEME

Quantity	CAS No EINECS No REACH No	Name	Comment	Classification (GHS)
	01-2119969442-31			Aquatic Chronic 3 H317, H412
<1%	14901-07-6 238-969-9 01-2119449921-34	4-(2,6,6-Trimethyl-1-cyclohexen-1-yl)-3-buten-2-one		 Aquatic Chronic 2 H411
<1%	28645-51-4 249-120-7 01-2120103324-74	Oxacycloheptadec-10-ene-2-one	M-factor: 10	 Aquatic Acute 1, Aquatic Chronic 1 H400, H410
<1%	104-55-2 203-213-9 01-2119935242-45	Cinnamaldehyde		 , - Acute Tox. 4, Skin Irrit. 2, Skin Sens. 1A, Eye Irrit. 2, Aquatic Chronic 3 H312, H315, H317, H319, H412

See section 16 for the full text of the H statements declared above.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice:	Seek medical advice immediately and show this safety data sheet. Take off all contaminated clothing.
Inhalation:	In case of excessive inhalation remove the person to fresh air and keep at rest in a comfortable position. Obtain medical advice immediately.
Skin contact:	Remove contaminated clothing. (N.B. - wash before re-use). Wash off skin immediately with plenty of water, using soap if available.
Eye contact:	Immediately rinse the eyes with plenty of water (15 minutes). If any sign of tissue damage or persistent irritation is apparent, obtain medical advice immediately.
Ingestion:	Rinse mouth with water. Give a glass / cup of milk / water to drink. Do not induce vomiting. Obtain medical advice immediately.

4.2 Most important symptoms and effects, both acute and delayed

No information available on the product itself.

4.3 Indication of immediate medical attention and special treatment needed

None known.

SAFETY DATA SHEET

Print date: 18.02.22
Last update: 31.01.22
No: 109-4776

In compliance with Regulation (EC) No 1907/2006

LEATHER & BURNING WOODS SKU-AA-ODEME

5. FIREFIGHTING MEASURES

5.1 Extinguishing media	
	In the event of fire, adequate extinguishers should be used. Avoid inhalation of smoke and fumes. In case of insufficient ventilation, wear suitable respiratory equipment.
5.2 Special hazard arising from the substance or mixture	
	No specific hazard known.
5.3 Advice for fire-fighters	
	No specific advice.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures	
6.1.1 For non-emergency personnel:	Adequate protective gloves should be worn when handling spillages. No smoking. Avoid naked flames or other potential sources of ignition (eg. electrical equipment). Avoid skin contamination and inhalation of vapour. Individual washing routines should be followed after any potential contact. Ensure adequate ventilation in working areas following accidental releases.
6.1.2 For emergency personnel:	Apply the same recommendations as section 6.1.1
6.2 Environmental precautions	
	Do not discharge directly into drains, air, into soil or into the aquatic environment.
6.3 Methods and material for containment and cleaning up	
6.3.1 For containment:	Any absorbent used for cleaning up spillage should be disposed promptly, accordingly to local regulation. Gross spillages should be contained by any means, and disposal of this should be in accordance with governmental Regulations
6.3.2 For cleaning-up:	Spillages should be disposed of in accordance with Governmental Regulations.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling	
	Avoid contact with skin and eyes. Wear adequate protective gloves protection and eye/face protection. No smoking. Avoid any sources of ignition. Avoid exposing to high temperature during processing. Do not ingest or apply to the skin as such. Good personal washing routines should be followed. Maintain adequate local and general ventilation where product is handled.
7.1.1 Protective measures:	Keep strict control of dust accumulation to a minimum. Maintain adequate local and general ventilation where product is handled. Avoid any sources of ignition.
7.1.2 Advice on general occupational hygiene:	Good personal washing routines should be followed.

SAFETY DATA SHEET

Print date: 18.02.22
Last update: 31.01.22
No: 109-4776

In compliance with Regulation (EC) No 1907/2006

LEATHER & BURNING WOODS SKU-AA-ODEME

7.2	**Conditions for safe storage, including any incompatibilities**	
7.2.1	**Requirements to be met by storerooms and receptacles:**	It is good general practice to store in closed, preferably full, containers away from heat sources, and protected from extremes of temperature. Do not store below 20 °C Protect from light. Do not re-use the empty container.
7.2.2	**Information about storage in one common storage facility:**	Respect general rules for compatibility storage.
7.2.3	**Further information about storage conditions:**	Not available
7.3	**Specific end use(s)**	
		Not available at this time.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

Ingredient					CAS-No	
Value	Short-term value [mg/m³]	[ppm]	Long-term value [mg/m³]	[ppm]	Base	Publication
Dipropylene glycol					**25265-71-8**	
MAK	280		140		SuvaPro	2013
Damage to the fetus need not be feared if the MAK value is observed						

8.2 Exposure controls

8.2.1 Engineering measures

Ensure adequate ventilation, especially in confined areas

Additional information about design of technical facilities: No further data, see item 7

8.2.2 Personal protective equipment

Respiratory protection: Use respiratory protection if ventilation is insufficient

Protection of hands:



Use chemically resistant gloves as needed.

Eye protection:



Use goggles.

Body protection: Protective clothing, gloves and goggles

Hygiene value: Avoid contact with skin and eyes

8.2.3 Limitation and supervision of exposure into the environment

Not available at this time.
Minimize release to the environment.

SAFETY DATA SHEET

Print date: 18.02.22
Last update: 31.01.22
No: 109-4776

In compliance with Regulation (EC) No 1907/2006

LEATHER & BURNING WOODS SKU-AA-ODEME

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1	**Information on basic physical and chemical properties**		
	Appearance:	liquid	
	Colour:	light yellow	
	Odour:	woody - spicy - musky	
	Odour threshold:	not determined	
	Flashpoint (°C):	81.0	Method: Pensky-Martens, closed cup
	Relative density (d 20/4 °C):	0.980	
	PH-value:	not applicable	
	Boiling point (°C):	not determined	
	Melting point (°C):	not determined	
	Auto flammability (°C):	not determined	
	Explosive prop. (°C):	not determined	
	Oxidizing properties:	none expected	
	Vapour pressure:	not determined	
	Water solubility:	not determined	
	Solvent Content:	46%	
	VOC:	0.081%	
9.2	**Other information**		
		no data available	

10. STABILITY AND REACTIVITY

10.1	**Reactivity:**	No reaction known with water.
10.2	**Chemical Stability:**	Good stability at standard temperature.
10.3	**Possibility of hazardous reactions:**	No dangerous reactions known.
10.4	**Conditions to avoid:**	Avoid temperatures above or at least 5 °C below flash point for any flammable liquids. Do not heat closed containers. Avoid contact with oxidizing agents.
10.5	**Incompatible materials:**	Not known.
10.6	**Hazardous decompositions products:**	Contact with water or storage under recommended conditions for one year should not produce dangerous decomposition products.

11. TOXICOLOGICAL INFORMATION

11.1	**Information on toxicological effects**	
11.1.1	**Acute toxicity:**	
	LD/LC50 values relevant for classification:	no data available
	Specific symptoms in biological assay:	no data available
11.1.2	**Primary irritant effect:**	
	on the skin:	no data available
	on the eye:	no data available
11.1.3	**Sensitization**	no data available
11.1.4	**Other information (about experimental toxicology)**	no data available
11.1.5	**Subacute to chronic toxicity**	no data available

SAFETY DATA SHEET

Print date: 18.02.22
Last update: 31.01.22
No: 109-4776

In compliance with Regulation (EC) No 1907/2006

LEATHER & BURNING WOODS SKU-AA-ODEME

11.1.6	**Additional toxicological information**	This mixture has not been subjected to toxicological testing as an entity. According to available data on the constituents the health classification criteria are met

12. ECOLOGICAL INFORMATION

12.1	**Toxicity:**	No data available (product is a mixture). The product has to be labeled due to the calculation procedure of the 'General Classification guidelines for preparations of the EU' in the latest valid version.
12.2	**Persistence and degradability:**	No data available. The principle ingredients that account for more than 60% (by weight) of the whole mixture are classified as readily biodegradable (OECD 301F and 310 test methods).
12.3	**Bioaccumulative potential:**	No data available. The principle ingredients that account for more than 60% (by weight) of the whole mixture have a log P_{ow} <3.
12.4	**Mobility in soil**	No data available.
12.5	**Results of PBT and vPvB assessment**	No data available. This mixture does not contain any substances that are assessed to be a PBT or a vPvB.
12.6	**Other adverse effects**	None expected or known.

13. DISPOSAL CONDITIONS

Residual quantities of the product should be treated according to the instructions given under points 6, 7 and 8 above. Wastes should be eliminated according to national or regional regulatory requirements currently in force. Minimize release to the environment.

14. TRANSPORTATION INFORMATION

UN-Nr. 3082 **RID/ADR** 9		**IMDG-Code** 9 **IATA/DGR** 9	**Packing group:** **III**

UN proper shipping name:	
RID/ADR:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Oxacyclohexadec-12-en-2-one, Mixture)
IMDG:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
IATA/ICAO:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Marine pollutant:	Oxacyclohexadec-12-en-2-one

Additional information:	In case of accidental spillage or fire during transport please refer to instructions under the above mentioned headings 5, 6, 7 and 8.

SAFETY DATA SHEET

Print date: 18.02.22
Last update: 31.01.22
No: 109-4776

In compliance with Regulation (EC) No 1907/2006

LEATHER & BURNING WOODS SKU-AA-ODEME

15. REGULATORY INFORMATION

15.1	**Safety, health and environmental regulations/legislation specific for the substance or mixture**	
15.1.1	**Regulation (EC) No 1907/2006 (REACH)**	
	Annex XIV - List of substances subject to authorization	
	Substances of very high concern	None of the components are listed.
	Annex XVII - Restriction on the manufacture and use of certain dangerous substances, mixtures and articles	
		Not applicable
15.1.2	**National Regulations (Germany)**	
	Classification according VwVwS, Annexe 4	
		Water hazard class 2
15.2	**Chemical safety assessment**	
		No data available at this time.

16. OTHER INFORMATION

16.1	**Full text of abbreviated H-phrases**	H302	Harmful if swallowed.
		H312	Harmful in contact with skin.
		H315	Causes skin irritation.
		H317	May cause an allergic skin reaction.
		H319	Causes serious eye irritation.
		H400	Very toxic to aquatic life.
		H410	Very toxic to aquatic life with long lasting effects.
		H411	Toxic to aquatic life with long lasting effects.
		H412	Harmful to aquatic life with long lasting effects.
16.2	**Full text of abbreviated classifications (GHS)**	Acute Tox. 4 derm.	Acute Toxicity, Dermal Category 4
		Acute Tox. 4 oral	Acute Toxicity, Oral Category 4
		Aquatic Acute 1	Acute Aquatic Toxicity Category 1
		Aquatic Chronic 1	Chronic Aquatic Toxicity Category 1
		Aquatic Chronic 2	Chronic Aquatic ToxicityCategory 2
		Aquatic Chronic 3	Chronic Aquatic Toxicity Category 3
		Eye Irrit. 2	Eye irritation Category 2
		Skin Irrit. 2	Skin irritation Category 2
		Skin Sens. 1	Skin Sensitisers Category 1
		Skin Sens. 1A	Skin Sensitisers Category 1A
		Skin Sens. 1B	Skin Sensitisers Category 1B

SAFETY DATA SHEET

Print date: 18.02.22
Last update: 31.01.22
No: 109-4776

In compliance with Regulation (EC) No 1907/2006

LEATHER & BURNING WOODS SKU-AA-ODEME

16.3	**Abbreviations and acronyms**	ADR Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) AGS Ausschuss für Gefahrstoffe (D) EINECS European Inventory of Existing Commercial Chemical Substances GHS Globally Harmonized System of Classification and Labelling of Chemicals IATA International Air Transport Association IMDG International Maritime Code for Dangerous Goods MAK Maximale Arbeitsplatzkonzentration REACH Registration, Evaluation, Authorisation and Restriction of Chemical substances, European Community Regulation on chemicals and their safe use (EC 1907/2006) SuvaPro Suva: Grenzwerte am Arbeitsplatz (CH) VOC Volatile Organic Compounds (USA, EU)

16.4	**Recommended applications**:	Concentrated perfumery raw material. Unsuitable for personal use as such.

The recommendations in this safety data sheet reflect the knowledge available to us on the date of going to print. They are intended to give you hints for the safe handling of the product mentioned in this safety data sheet during storage, processing, transport and waste disposal. This information cannot be transferred to other products. In those cases where the product mentioned in this safety data sheet is blended, mixed or processed with other materials or processed in any other way, the information contained in this safety data sheet cannot be related to the new material obtained in this way.